

The background is a deep red with large, flowing, lighter red curved shapes. On the left, there is a large, stylized, semi-transparent 'GT' logo. In the top right corner, the 'GT-1' logo is prominently displayed in a bold, white, italicized sans-serif font. Below it, the tagline 'GENIUNE EUROPEAN FOR AMERICAN THINKERS' is written in a smaller, white, all-caps sans-serif font.

GT-1

GENIUNE EUROPEAN FOR AMERICAN THINKERS

**CLEAR COATS
SOLVENTS
AEROSOLS
HARDENERS
BASE COATS
PRIMERS**

	PAGE
CLEAR COATS	1
SOLVENTS	3
AEROSOLS	4
HARDENERS	5
BASE COATS	7
PRIMERS	8
2K PAINTS	9
TDS	10



GT-1 are formulated for exceptional performance over a wide range of applications and shop conditions, our clearcoats offer durability, excellent gloss and UV protection, along with great flow and leveling properties for easy application.



CLEAR COATS

ITEM NO.

DESCRIPTION

SIZE

UHS-66	UHS ULTRA GLOSS CLEAR COAT	5L
UHS-32	UHS GLAMOUR CLEAR COAT	5L
UHS-57	UHS PREMIERE URETHANE CLEAR COAT 2:1	5L
MS-41	MS CLEAR COAT HIGH GLOSS 2:1	5L

GT-1 are formulated for exceptional performance over a wide range of applications and shop conditions, our clearcoats offer durability, excellent gloss and UV protection, along with great flow and leveling properties for easy application.



ITEM NO.

DESCRIPTION

SIZE

UHS30	UHS XTREME GLAMOUR CLEAR COAT	4L
HS-77	HS CROMIX CLEAR COAT 4:1	4L
CC1501	SUPER FAST GLAMOUR CLEAR COAT	1L
CC1501	SUPER FAST GLAMOUR CLEAR COAT	2.5L
MCC671	MATT CLEAR COAT	4L
MCC674	MATT CLEAR COAT	1L

GT-1 solvents are formulated to reduce our paints, clearcoats and primers, and provide high performance, excellent gloss, flow and leveling.



SOLVENTS

ITEM NO.

DESCRIPTION

SIZE

T1270	FLATTENING AGENT	1L / 3.5L
PRO-SD-1	PLASTIC ADHESION PROMOTER	1L
R3021-60	EXTREME GLAMOUR REDUCER FAST	1L
R3021-75	EXTREME GLAMOUR REDUCER MEDIUM	1L
R3021-85	EXTREME GLAMOUR REDUCER SLOW	1L
R322-1	URETHANE REDUCER PREMIUM BLEND	1L
RCB-1	COLOR BLENDING SOLVENT	1L
APP-AS-500	FISH EYE ELIMINATOR	500ml
D610	WAX & GREASE REMOVER	1L / 5L
D710	WAX & GREASE REMOVER ANTI-STATIC	1L / 5L

GT-1 Aerosols are design to performance over a wide range of applications and shop conditions primer coatings, basecoats, top coatings, and special applications to cover a extended range of small applications.



ITEM NO.

DESCRIPTION

SIZE

444-771	BLENDING SOLVENT FOR CLEAR	400ml / 500ml
444-000	PLASTIC ADHESION PROMOTER	400ml / 500ml
444-039	1K PRIMER LIGHT GRAY	400ml / 500ml
444-100	1K CLEAR COAT	400ml / 500ml
444-122	BUMPER TEXTURE GRAY	400ml / 500ml
444-199	BUMPER TEXTURE BLACK	400ml / 500ml
444-333	GUIDE COAT	400ml / 500ml
444-772	MATT BLACK	400ml / 500ml
444-775	BLENDING SOLVENT FOR COLOR	400ml / 500ml
444-882	SATIN BLACK	400ml / 500ml
444-992	GLOSS BLACK	400ml / 500ml
444-999	ADHESION PROMOTER ALL SUFACES	400ml / 500ml



GT-1 Activators are formulated to catalyze, clearcoats and primers. With a wide range of activators, from spot to panel work, to total repair.



HARDENERS

ITEM NO.	DESCRIPTION	SIZE
E1125	EPOXY PRIMER ACTIVATOR	1L
E1125-250	EPOXY PRIMER ACTIVATOR	250ml
ET1250-1	SELF ETCHING ACTIVATOR	1L
ET1250-4	SELF ETCHING ACTIVATOR	4L
H300-STD	PRIMER ACTIVATOR STANDARD LITER	1L
H300-STD-250	PRIMER ACTIVATOR STANDARD	250ml
H3021-75	EXTREME GLAMOUR ACTIVATOR STANDAR	1L
PH092	SELF ETCHING ACTIVATOR	4L
PH095	SELF ETCHING ACTIVATOR	1L



GT-1 Activators are formulated to catalyze, clearcoats and primers. With a wide range of activators, from spot to panel work, to total repair.



ITEM NO.

DESCRIPTION

SIZE

H4160	MS ACTIVATOR FOR MS41 FAST	2.5L
H4175	MS ACTIVATOR FOR MS41 MEDIUM	2.5L
H4185	MS ACTIVATOR FOR MS41 SLOW	2.5L
H5760	UHS ACTIVATOR FOR UHS57 FAST	2.5L
H5775	UHS ACTIVATOR FOR UHS57 -MEDIUM	2.5L
H5785	UHS ACTIVATOR FOR UHS57 -SLOW	2.5L
H66-65	UHS HARDENER FAST	2.5L
H66-75	UHS HARDENER FAST	2.5L
H66-85	UHS HARDENER SLOW	2.5L



GT-1 Activators are formulated to catalyze, clearcoats and primers. With a wide range of activators, from spot to panel work, to total repair.



HARDENERS

ITEM NO.	DESCRIPTION	SIZE
ACY001	ACRYLIC URETHANE ACTIVATOR	1L
HCC672	MATT CLEAR ACTIVATOR	250ml
HCC675	MATT CLEAR ACTIVATOR	1L
CH1560	SUPER FAST GLAMOUR ACTIVATOR	1L / 2.5L
H7760	HS ACTIVATOR FOR C77 - FAST	1L
H7775	HS ACTIVATOR FOR C77 - MEDIUM	1L
H7785	HS ACTIVATOR FOR C77 - SLOW	1L
H3260	UHS ACTIVATOR FOR C3220 FAST	2.5L
H3275	UHS ACTIVATOR FOR C3220 MEDIUM	2.5L
H3285	UHS ACTIVATOR FOR C3220 SLOW	2.5L

GT-1 pre-mixed basecoat colors provides excellent coverage and color formulation for automotive refinish applications.



ITEM NO.

DESCRIPTION

SIZE

350SM	BASECOAT PAINT SILVER MEDIUM	3.5L
350BR	BASECOAT PAINT BRIGHTH RED	3.5L
350DB	BASECOAT PAINT DEEP BLACK	3.5L
350SC	BASECOAT PAINT SILVER COARSE	3.5L
350SF	BASECOAT PAINT SILVER FINE	3.5L
350SM	BASECOAT PAINT SILVER MEDIUM	3.5L
350SW	BASECOAT PAINT SNOW WHITE	3.5L

GT-1 offer full line of primers, including two-component urethanes, corrosion-resistant epoxies, acrylic lacquers, that offer premium quality performance. A full line of colors, compatible reducers to increase productivity.



ITEM NO.

DESCRIPTION

SIZE

66-300	POLYESTER PRIMER GRAY	4L
ETCH-1G	SELF ETCHING PRIMER GRAY	1L
ETCH-4G	SELF ETCHING PRIMER GRAY	4L
ETCH-1B	SELF ETCHING PRIMER BLACK	1L
ETCH-4B	SELF ETCHING PRIMER BLACK	4L
P-EPX-1	EPOXY PRIMER GRAY 4:1	1L
P1220B	LACQUER PRIMER BLACK	1L / 4L
P1220G	LACQUER PRIMER GRAY	1L / 4L
P1220R	LACQUER PRIMER RED	1L / 4L
P1220W	LACQUER PRIMER WHITE	1L / 4L
P18B	2K DTM URETHANE PRIMER GALLON BLACK	1L / 4L
P18G	2K DTM URETHANE PRIMER GALLON GRAY	1L / 4L
P18R	2K DTM URETHANE PRIMER GALLON RED	1L / 4L
P18W	2K DTM URETHANE PRIMER GALLON WHITE	1L / 4L

GT-1 pre-mixed single stage colors is a urethane resin base that provides excellent coverage and color formulation for automotive refinish applications.



ITEM NO.

DESCRIPTION

SIZE

ACY22	ACRYLIC URETHANE WHITE	3.5L
ACY99	ACRYLIC URETHANE BLACK	3.5L
ACY88	ACRYLIC URETHANE MATT BLACK	3.5L
AR220	ACRYLIC URETHANE MATT WHITE	3.5L
AR330	ACRYLIC URETHANE BLACK	3.5L

	MIX RATIO	POT LIFE	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	DRY TIME	FLASH TIME	POLISHING
PRODUCT								
CC1501	1:1 +0,7%	40min.	16-18" CF4 68°F	1,2 - 1,3mm	50-60 µc. 1/2 coat + 1 full coat	30' 68°F 4' 140°F	5 min flash off	Polishing 50m

	MIX RATIO	POT LIFE	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	DRY TIME	FLASH TIME	POLISHING
PRODUCT								
UHS66	2:1 +5-10%	90 min 68°F	19-20" CF4 68°F	1,2 - 1,3mm	50-60 µc 1/2 coat + 1 full coat	3h 68°F 20' 140°F	15 min flash off	Polishing 3h
UHS32	2:1 +5-10%	3h 68°F	CF4 18-20"	1,2 - 1,3mm	2 cross coats 50-60 min.	25' 140°F 45' 68°F	Force dry 20' a 140°F / H805	Polishing 2h
UHS57	2:1 +5-10%	3h 68°F	CF4 18-20"	1,2 - 1,3mm	2 cross coats	Polish 3h	15 min flash off	Polishing 3h
MS41	2:1 +0- 10%	3h 68°F	CF4 17-19" 68°F	1,3 - 1,4mm	50-60 µc 2 full coats	Polish 6h	10/15 min flash off	30/140°F 8h 68°F

	MIX RATIO	POT LIFE	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	DRY TIME	FLASH TIME	POLISHING
PRODUCT								
UHS77	4:1	90 min 68°F	CF4 16-18"	1,3 - 1,4mm	2 cross coats	2h 68°F 25' 140°F	10' flash off	Polishing 3h
UHS30	4:1:1	3h 68°F	19-20" CF4 68°F	1,2 - 1,3mm	50-60 µc 1/2 coat + 1 full coat	3h 68°F 20' 140°F	15 min flash off	Polishing 3h
MCC674	4:1	90 min 68°F	CF4 18-20"	1,3 - 1,4mm	2 cross coats o 1 full coat + 1 dry coat	90' 68°F 20' 140°F	15 min flash off / 20 min before bake	NO

	MIX RATIO	POT LIFE	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	DRY TIME	SANDING	FLASH TIME	INFRARED DRYING
PRODUCT									
P18	4:1	1h. 68°F	CF4 70-80°	Ø1,6 - 1,8mm	100-150 2 coats	45° 68°F	2-3h. P400 P500	5-10 min flash off	12-15°

	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	DRY TIME	INFRARED DRYING	SANDING
PRODUCT						
P1220	64°	30-35 %	1 - 3 coats 50-60 min	20° - 68°F	10-15°	P400

	MIX RATIO	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	FLASH TIME
PRODUCT					
ETCH	1:1 0-15%	CF4 25°	Ø 1,2-1,4 mm	2-3 coats	45° before paint

	MIX RATIO	POT LIFE	APPLICATION VISCOSITY	SPRAY GUN	LAYERS	DRY TIME	FLASH TIME	BRUSH APPLICATION
PRODUCT								
P-EPX	5:1 p/3:1 vol.	24h.	CF4 25-35°	Ø1,6 - 1,8mm 10-15%	50-100 my	45°	15-30° 170°F/30 (Booth)	No diluted

GT-1

Distributed by:



PBE COATINGS
WAREHOUSE

PBE Coatings Corporation

www.pbecoatings.com

Office: 713-239-2920 / 281-974-3151

Email: sales@pbecoatings.com / info@pbecoatings.com

8251 Kempwood Drive

Houston - Texas 77055

GT-1